



PONTON
WE ARE THE 2 IN B2B

Release Notes X/P Listener 3.6.0

Version: 3

Date: 19-Oct-2018

Copyright Notice



This document is the confidential and proprietary information of PONTON GmbH ("Confidential Information"). You shall not disclose such Confidential Information and shall use it only in accordance with the terms of the license agreement you entered into with PONTON GmbH.

Table of Contents

- 1. Listener changes..... 3**
 - 1.1. Bugfixes 3
 - 1.1.1. Download of Listener Version 3.6.0 3
 - 1.2. Important: 3

- 2. Migration of a Listener version 3.2.x..... 4**
 - 2.1. Windows:..... 4
 - 2.2. Linux: 4

1. Listener changes

1.1. Bugfixes

Key	Summary	RT-Ticket	Affects Version/s
1 PXP-1723	configuration of TLSv1.0 and TLSv1.1 protocol has no effect.	78314	core 3.5.0
2 PXP-1689	some Listener Log files are not deleted		core 3.5.0
3 PXP-1702	FTP command LIST does not work		core 3.5.0

1.1.1. Download of Listener Version 3.6.0

full distribution 3.6.0 with JRE 1.8 u162:

<http://www.ponton.de/downloads/xp/3.6/PontonXP-Listener-3.6.0.exe>

full distribution 3.6.0 without JRE:

<http://www.ponton.de/downloads/xp/3.6/PontonXP-Listener-3.6.0.zip>

1.2. Important:

- the connected Ponton X/P Messenger instance has to be updated to Version 3.6.0 as well, because the communication between Listener and Messenger has been changed.

2. Migration of a Listener version 3.2.x

2.1. Windows:

1. shutdown the Listener
2. use /bat/uninstallService.bat to delete the old Windows service
3. start PontonXP-Listener-3.6.0.exe
4. select a new folder to install the new Listener version
5. copy the files from the old config folder to the new config folder except for the logback.xml file
6. the Listener.properties file needs to be adjusted, because the key "**AdministrationPort**" has to be splitted into two new keys:
AdministrationPort = *:50081 →
InternalCommunication.IP = *
InternalCommunication.Port = 50081
the line with "**AdministrationPort**" is not needed and should be deleted
7. use the installService.bat file to install a new Windows service
8. start the Listener Windows service

2.2. Linux:

1. shutdown the Listener
2. extract PontonXP-Listener-3.6.0.zip into a new folder
3. the old daemon.sh start script is no longer used instead use the provided "pontonxplistener" script that can be found in the new folder
4. create a folder "jre" in the installation folder
5. extract a Java runtime with at least version [8u162](#) in the "jre" folder
6. copy the files from the old config folder except for the logback.xml file to the new config folder
7. the Listener.properties file needs to be adjusted, because the key "**AdministrationPort**" has to be splitted into two new keys:
AdministrationPort = *:50081 →
InternalCommunication.IP = *

InternalCommunication.Port = 50081

the line with "**AdministrationPort**" is not needed and should be deleted

8. start the Listener using the "pontonexplistener" script

PONTON GmbH
Dorotheenstraße 64
GERMANY 22301 Hamburg
Web: <http://www.ponton.de>